

STANDARD SPECIFICATIONS

Sidewalls

- Steel structural studs 16" on center
- Exterior insulation (thermal break) 1" Foil backed Foam Board R5 Seamlessly Taped
- Total R29+ consisting of R5 Exterior Rigid Foam Board with house wrap + R24 interior insulation
 - Optional spray foam insulation or Roxul (additional charges apply)
- 6 mil. poly vapor barrier
- ½" Drywall (boarded, taped, primed - final finishes onsite by builder/owner – as cracks will appear during transport)
- 7/16" OSB exterior sheathing
- Vendor Standard Vinyl Siding – can be partially installed in factory (finishes done onsite by owner/builder to avoid damage during transport)

Frames and Floors

- Steel floor joists 16" on center
- 5/8" OSB subflooring glued and screw-nailed

Roof and Ceiling

- Mono slope, peaked, or butterfly roof with steel roofing panels
(max 11' height on standard trailer, height up to 13' available with low boy trailer, greater heights will require roofing trusses to be installed onsite by Owner/Builder – additional charges apply)
- Exterior insulation (thermal break) 1" – 2" Foil backed Foam Board (R5-R10) Seamlessly Taped
- Total R31-R55+ based on roof profile (cathedral vs attic)
consisting of R5-R10 Exterior Rigid Foam Board + R31-R55 interior insulation
 - Optional spray foam insulation, or Roxul (additional charges apply)
- 7/16" roof sheathing with ice shield membrane
- Steel Roofing standard galvanized per vendors standard plans (color choices available)
(depending on roof slope and style installation in factory if possible, or due to size and layout chosen by owner/builder may have be installed onsite by owner/builder - additional charges apply)

Plumbing

- Pex polyethylene water lines including external tap(s) per vendors standard plans
- Plumbed and wired for washer and 220 volt dryer (for models with main floor laundry)
- Plumbed and wired for dishwasher (for models with main floor laundry)
- Builders standard plumbing fixtures per vendors standard plans

Electrical

- Commercial grade BX Electrical wiring per plans, 100AMP panel (Optional 200 amp panel –additional charges apply)
- Builders standard receptacles, light switches and interior light fixtures
- Exterior porch lights at entrance doors and exterior weatherproof GFCI receptacle as required per code
- Electric smoke detector and Safe-T-Alert gas alarm as required per code
- GFCI tamper resistant receptacle in bathroom as required per code
- Standard vendor electrical fixtures per standard plans, per code requirements



Windows and Doors

- Slider residential thermo pane windows with low "E" glass, screens (optional colors available- charges may apply for some colors) – any upgrade from the standard windows will incur additional charges
(includes 7% of wall space as per standard plans charges will apply for over 7%) per vendors standard plans
- Vendors Standard Insulating foam around window and door frames
- 36" x 80" standard vendors exterior steel door pre-finished in white with builders standard hardware
- 1 Sliding Glass door (5' standard double pain white) per vendors standard plans

Interior Decor Finish

- White raised panel interior doors with satin stainless-steel door handles per vendors standard plans
- White shaker style cabinets with Thermal foil wrapped doors (additional charges may apply)
- Solid Bamboo Eco-friendly Kitchen countertop
- Stainless steel double sink and vendors standard faucet per plans
- Choice of vendors standard 17" bathroom vanity with sink and faucet hardware per vendors standard plans
- Four-piece 34x34 shower with surround including vendors standard hardware per vendors standard plans
- 8 mm Laminate flooring per plans
- Durable vinyl flooring in kitchens and bathrooms per plan

Warranty


- 1 - year limited product warranty, factory to consumer via factory for parts - applicable as of the date of delivery of the Components- see exception list in package which includes drywall cracks and nail pops which may occur because of subsequent settling of the foundation.
- 2 - year limited warranty for components weather penetration, electrical distribution system, plumbing and heating delivery systems (if inside module), window and door performance(if ordered and installed by factory)
- 5 - year limited warranty and performance relating to structural integrity
- 25 - year limited warranty for steel roofing

Standard vendors materials, fixtures, trim, millwork are all based on vendor's standard plans noted/available online. Changes to these specs or removal of certain items to be replaced by specialty items or custom items, will result in additional charges and often in additional onsite finishes for the Owner/Builder. There are no credits applied for items removed. Custom home plans are quoted based on Standard Specifications, and all custom additions or changes will be additional.

All Modular homes manufactured by GreenTerraHomes are constructed in compliance to the stringent requirements of CWB CSA A-660 for Steel Frame Modular Homes and CSA Standard 8131 A-277, National Building Code of Canada and Provincial Amendments.

The manufacturer reserves the right to improve or modify the product list herein, without notice or obligation, which may change materials, equipment, specifications or designs. Information contained herein is from the latest data available at the time of printing. Photographs and descriptions may contain some optional extra.






Laminate Flooring



Kitchen



Standard Specifications



Bathroom



Steel Roofing & Vinyl Siding

